

Message

From: Acord, Angela [Acord.Angela@epa.gov]
Sent: 5/10/2019 2:21:43 PM
To: Buckner, Edwin [Buckner.Edwin@epa.gov]
Subject: RE: Enforcement Confidential - AltEn

Jamie Greens schedule is pretty tied up Thur, does Tue next week work for you?

Thank you,

Angela Acord

From: Buckner, Edwin
Sent: Thursday, May 09, 2019 12:10 PM
To: Acord, Angela <Acord.Angela@epa.gov>; Hamera, Donald <Hamera.Don@epa.gov>
Cc: Martin, Mike <Martin.Mike@epa.gov>
Subject: RE: Enforcement Confidential - AltEn

Monday afternoon is open. All day Thursday is open.

Mike, this is FYI regarding contact with Nebraska.

Ed Buckner
ECAD/RCRA, EPA Region 7
913-551-7621 ><>

From: Acord, Angela
Sent: Thursday, May 9, 2019 10:50
To: Hamera, Donald <Hamera.Don@epa.gov>; Buckner, Edwin <Buckner.Edwin@epa.gov>
Subject: RE: Enforcement Confidential - AltEn

See the email below. Lets try to set something up for next week. I am in the office on Mondays and Thursday, so those days work best for me. What does your schedule look like for next week? If we can get a few days nailed down, we can reach out to NDEQ and see if any of those days work for a call.

Thank you,

Angela Acord

From: Green, Jamie
Sent: Thursday, May 09, 2019 10:00 AM
To: Acord, Angela <Acord.Angela@epa.gov>; Hamera, Donald <Hamera.Don@epa.gov>
Subject: RE: Enforcement Confidential - AltEn

Ex. 5 Deliberative Process (DP)

Thanks

From: Acord, Angela
Sent: Wednesday, May 08, 2019 3:35 PM
To: Green, Jamie <Green.Jamie@epa.gov>
Subject: Enforcement Confidential - AltEn

Jamie,

I wanted to follow up with you with a little more information then I was able to provide on our last call. I circled back with Cynthia and Paul to confirm my discussions during the meeting and they agreed with my comments.

Industrial stormwater permit NER910444:

Ex. 5 DP / Ex. 7(A)

Waters proximity is also a factor when we look at a facility under stormwater. I took a closer look at the water near the site today. There are 2 different tributaries at the site. One to the NE of the site is Johnson Creek an intermittent creek that flows ~ 3 miles until it reaches Clear Creek a perennial. There is another trib that comes off the site and flow SE its an unnamed intermittent trib the flows ~ 7.3 miles to Clear Creek a perennial.

Industrial Wastewater permit NE0137636:

Ex. 5 DP / Ex. 7(A)

Ex. 5 DP / Ex. 7(A)

Thank you,

ANGELA ACORD M.S.

Water Branch

U.S. Environmental Protection Agency Region VII
Enforcement and Compliance Assurance Division- Industrial Section
11201 Renner Blvd.
Lenexa, KS 66219

Office: 913.551.7914
acord.angela@epa.gov